# RULES OF CORPORATE IDENTITY

# IIREGIOJET

- 1.1 LOGOTYPE
- 1.2 PROTECTIVE ZONE
- 1.3 COLORING
- 1.4 FULL COLOR LOGOTYPE ON WHITE, BLACK AND YELLOW BACKGROUND
- 1.5 MONOCHROME REPRODUCTION (MONOCHROME)
- 1.6 PHOTO BACKGROUND
- 1.7 UNAUTHORIZED BACKGROUND TYPES
- 1.8 MISAPPLICATION OF THE LOGOTYPE
- 1.9 USE WITH OTHER LOGOTYPES

# 1.1 LOGOTYPE

# IREGIOJET

20 mm



Minimal allowed size of additional logotype

The Regiojet logo consists of two lines representing a road (highway, tracks) and inscription REGIOJET. It can also be used in supplementary version along with train and bus icons or by a link to the English web site in Helvetica LT Std Obligue and Helvetica LT Std Obligue Bold or by announcing that there is on board stewardess.

Note: Never create a logotype on your own, always use the original.


# 1.2 PROTECTIVE ZONE



The gray space around the logotype defines minimal space to be kept between the logotype and any other graphic including the border and the edges of the page.

If possible, leave more space around the logotype.

# 1.3 COLORING





1.4 FULL-COLOR LOGOTYPE ON WHITE, BLACK AND YELLOW BACKGROUND







1.5 MONOCHROME REPRODUCTION (MONOCHROME)







IIREGIOJET

**JI REGIOJET** 

# 1.6 PHOTO BACKGROUND







If the logotype is used in a the photo, then it is necessary to provide sufficient contrast between the logo and the background.

The most common is yellow background on which the logo is placed in order to stand out.

# 1.7 UNAUTHORIZED BACKGROUND TYPES




The logotype must not be placed in backgrounds which are similar to it by their color, furthermore it should be avoided to use colorful backgrounds and vibrant colors that are inconsistent with the color of the logotype. If neccessary to place the logotype on such background, then it is needed to place the yellow area below.






# 1.8 MISAPPLICATION OF THE LOGOTYPE



- 1) Do not use the drop shadow
- 2) Do not use the inner shadow
- 3) Do not use bevel and relief
- 4) Do not use only contours

- 5) Do not use an incomplete logotype
- 6) Do not change colors
- 7) Do not deform
- 8) Do not replace the logotype parts with other fonts or characters

# 1.9 USE WITH OTHER LOGOTYPES



2.1 ADDITIONAL LOGOTYPE2.2 PROPORTIONS OF ADDITIONAL LOGOTYPES2.3 USE WITH OTHER LOGOTYPES

# 2.1 ADDITIONAL LOGOTYPE



A version with train and bus icons



Webpage version



"Steward on board" version only for reservation systems

30 mm



30 mm



30 mm



Minimal allowed size of additional logotype

# 2.2 PROPORTIONS OF ADDITIONAL LOGOTYPES






Basic version

A version with train and bus icons






# 2.3 A SHORTENED VERSION OF THE LOGOTYPE FOR THE RESERVATION SYSTEM




A shortened version for the reservation system



A shortened version on a yellow background for the reservation system





A shortened version of the logotype is used for the reservation system and as a favicon web. It does not serve as a substitute for the logo on printed materials.

# **3 TYPOGRAPHY**

# **TYPOGRAPHY**

# 3.1 PRIMARY FONT

## **Helvetica LT Std Bold**

ABCDEFGHIJKLMNOPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

# Helvetica LT Std Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

# Helvetica LT Std Light

ABCDEFGHIJKLMNOPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

The primary font is Helvetica LT Std, which should be used in all printed communications.

# **TYPOGRAPHY**

# 3.2 SECONDARY FONT

### **Source Sans Pro Bold**

ABCDEFGHIJKLMNOPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

# Source Sans Pro Regular

ABCDEFGHIJKLMNÖPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

# Source Sans Pro Light

ABCDEFGHIJKLMNOPQRSTUVWXYZÁČĎÉĚÍŇÓŘŠÚŮÝŽ abcdefghhijklmnopqrstuvwxyzáčďéěíňóřšťúůýž 1234567890,.!?&

Secondary font is Source Sans Prodesigned for the web.